

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets

(11)

Veröffentlichungsnummer:

(11)

Publication number:

(11)

Numéro de publication:

0 773 855

Internationale Anmeldung veröffentlicht durch die
Weltorganisation für geistiges Eigentum unter der Nummer:

WO 96/04112 (art.158 des EPÜ).

International application published by the World
Intellectual Property Organisation under number:

WO 96/04112 (art.158 of the EPC).

Demande internationale publiée par l'Organisation
Mondiale de la Propriété sous le numéro:

WO 96/04112 (art.158 de la CBE).

THIS PAGE BLANK (USPTO)

PCTWORLD INTELLEC
In

INTERNATIONAL APPLICATION PUBLISHE



WO 9604112A1

(51) International Patent Classification⁶ :

B26B 21/44

A -

(43) International Publication Date: 15 February 1996 (15.02.96)

(21) International Application Number: PCT/US95/07506

(22) International Filing Date: 13 June 1995 (13.06.95)


(30) Priority Data:
08/285,364 3 August 1994 (03.08.94) US(71) Applicant: WARNER-LAMBERT COMPANY [US/US]; 201
Tabor Road, Morris Plains, NJ 07950 (US).(72) Inventors: WEXLER, Fred, C.; 89 Joshua Trail, Madison, CT
06443 (US). ANDRADE, Manuel; 5 Myers Court, Milford,
CT 06460 (US).(74) Agents: RYAN, M., Andrea; Warner-Lambert Company, 201
Tabor Road, Morris Plains, NJ 07950 (US) et al.(81) Designated States: AU, BR, CA, CN, JP, KR, MX, RU,
European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR,
IE, IT, LU, MC, NL, PT, SE).Published
With international search report.

(54) Title: CHANGEABLE COLOR SHAVING AID

(57) Abstract

The present invention features a disposable razor cartridge unit or disposable razor system having a shaving aid in the form of a comfort strip (11) mounted on a razor head (10), wherein the shaving aid provides a sensory change over a period of time so that the user knows that the razor head should be replaced. In one embodiment the strip is in the form of a single layer and comprises a polymer of a first color. A coloring agent of a second color is added such that the resulting color of the shaving aid is a third color when the strip is new. The first coloring agent gradually leaches from the strip due to exposure to

water, abrasion during usage, or a combination of the two, such that after a certain number of uses the color of the strip changes from the third color to the first color of the polymer. Among other embodiments of the present invention are multi-layer strips in which the outer layer or layers contain shaving aid material (21) having a coloring agent of a first color, while the inner layer contains non-water soluble material of a second color (32). In a still further embodiment, one or more coatings (60) are placed on the shaving aid. In all of these embodiments, sensory indications are provided to the user via the removal of the coloring agent, the shaving aid material or the coating, so that the user is aware that the razor head should be replaced.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo			SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Viet Nam
GA	Gabon				

5

CHANGEABLE COLOR SHAVING AID

10 The present invention relates to shaving aids for
razor heads and in particular to shaving aids which change
color, either in whole or in part, after a certain period
of usage.

Background of the Invention

15 In order to provide for smoother shaves and to
increase the comfort of the user, shaving aids in the form
of comfort strips have been mounted on disposable razor
heads and in disposable razor systems for many years. For
example, U.S. Patent No. 4,170,821, issued to Booth,
20 discloses a solid water soluble shaving aid incorporated
as a strip attached to a disposable razor blade cartridge.
Razor heads having such comfort strips are currently
marketed with the shaving aid being mixed with a
thermoplastic polymer and have a uniform, unchanging color
25 and texture.

Generally, individuals with sensitive skin are most
likely to be users of razors containing shaving aids.
Consequently, many products which are currently marketed

with shaving aids contain materials such as aloe and are directed at the sensitive skin user. However, a drawback of currently available comfort strip-type shaving aids is that the strips gradually degrade and, after a certain
5 number of uses, the shaving aid material contained in the strips is reduced to the point that the strips are not effective for the sensitive skin user. At this point a sensitive skin consumer should replace the razor blade cartridge to ensure the continued availability of shaving
10 aid. However, absent a definite indication, many users do not realize when the cartridge should be replaced and consequently the quality of the shave suffers.

15 Various attempts have been made to create systems to indicate when the user should change the cartridge. Most of the previous systems require the user to manually interact with the razor by an act such as the turning of a knob or the breaking off of a tab. Such systems are
20 inefficient in that most users are not careful to accurately perform the acts necessary to monitor their razor cartridge usage.

It would, therefore, be desirable to provide a
25 disposable razor cartridge or a disposable razor system with a shaving aid which would automatically indicate to the user that the cartridge containing the shaving aid

should be replaced. Such shaving aids would not require manual intervention and thus would be more accurate than presently known systems.

5 It would further be desirable to provide such a shaving aid in the form of a comfort strip which would change color after a certain number of uses to signal to the user that the cartridge should be replaced. The color change may take place either through selective solubility
10 or through abrasion. Such a shaving aid would allow the user to obtain the most efficient cartridge use. It would be particularly desirable to provide a shaving aid which changes color coincidentally with the wear of the blade such that when the strip changes the blade is no longer
15 delivering average optimum performance.

Summary of the Invention

20 The present invention features a disposable razor cartridge unit or disposable razor system having a shaving aid in the form of a comfort strip mounted on a razor head, wherein the shaving aid changes color over a period of time so that the user knows that the razor head should be replaced. In one embodiment, the strip is in the form
25 of a single layer and comprises a polymer of a first color. A coloring agent of a second color is added such that the resulting color of the shaving aid is a third

color when the strip is new. The coloring agent gradually leaches from the strip due either to exposure to water, abrasion during usage, or a combination of both such that after a certain number of uses the color of the strip changes from the third color to the first color of the polymer or some intermediate color noticeably different to the consumer. Alternatively, the polymer may be colorless so that when the coloring agent leaches out the resulting strip is colorless.

10

A third embodiment of the present invention is a two-layer strip in which the upper layer contains water soluble or a combination of soluble and non-soluble shaving aid material of a first color, while the lower layer contains essentially non-water soluble material of a second color. Upon exposure to water during usage, the upper layer gradually deteriorates to the point where the second color of the lower layer becomes visible through the upper layer, thus indicating the need to change the razor head.

20

A further embodiment involves a three-layer strip, in which both of the outside layers are of an water soluble or a combination of soluble and non-soluble material of a first color and the center layer is of a non-water soluble material of a second color. Such a tri-layered strip would allow the strip to be attached to the razor

25

cartridge during manufacture without concern for the orientation of the top and the bottom of the strip. A tri-layered strip would be particularly useful when the strip is manufactured by the process of extrusion.

5

A still further, and most preferred, embodiment comprises a shaving aid of a first color which is coated with a sectional portion of a second color. During shaving, the coated section wears away through solubility, abrasion, or a combination of the two, to indicate to the consumer that the cartridge should be replaced. The coating may consist of multiple layers, some of which layers may wear away during usage.

10

15

In a still further embodiment, different color water soluble and non-water soluble coloring agents are mixed so as to indicate a single color when the strip is new. The water soluble agent leaches from the strip upon exposure to water so that after a certain period of usage the strip changes color to that of the non-water soluble coloring agent.

20

Brief Description of the Drawings

25

FIGURE 1 is a perspective view of a razor head having a shaving aid in the form of a comfort strip.

FIGURE 2 is a micro-view of a shaving aid having

aqueous and non-aqueous dye components.

FIGURE 3 is a cross-section view of a two-layer shaving aid.

FIGURE 4 is a cross-section view of a three-layer shaving aid.

FIGURE 5 is a perspective view of a shaving aid having a sectional portion coated with a material of a color different than that of the shaving aid.

10

Detailed Description

The embodiments of the present invention are designed to provide a disposable razor or a disposable razor system having a shaving aid mounted on the razor head. As used herein, the term "razor head" is meant to include disposable cartridges designed for separate attachment to a razor handle, as well as the operative portion of a razor wherein the cutting portion is integrally formed with the handle portion. According to the present invention, shaving aids are disclosed which provide a sensory indication to the user that the razor head should be replaced.

Figure 1 illustrates a razor head 10 incorporating a shaving aid 11 in the form of a comfort strip. Although the shaving aid is illustrated as a comfort strip located

on the cap of the razor head above the blade, the shaving aid may be of any shape and may be located in any skin-engaging position on the razor. It is also possible for a shaving aid that relies on solubility to be located in a non-skin engaging surface and be effective. Further, one skilled in the art will appreciate that the razor head may be of various configurations, i.e., the razor may contain one or more blades and the razor head and handle may be integrally formed as in a disposable razor system.

Figure 2 illustrates one embodiment of the shaving aid of the present invention. A water soluble coloring agent 20 of a first color and a non-water soluble coloring agent 21 of a second color are located in the shaving aid 11, along with thermoplastic material and a shaving aid material 22. Initially, when both coloring agents 20, 21 are present, the shaving aid 11 is a third color which is a combination of the colors of the two coloring agents. In a preferred embodiment, the solubility of the water soluble coloring agent is in accordance with the solubility of the shaving aid material so that the water soluble coloring agent leaches from the shaving aid at a similar rate due to exposure to water during usage as that of the shaving aid material.

During shaving, the shaving aid comes into contact with water and the water soluble coloring agent 20, along

with the shaving aid material 22, leaches from the shaving aid 11. As the water soluble coloring agent 20 leaches from the shaving aid, the color of the shaving aid changes from the third color to the second color, i.e., the color of the non-water soluble coloring agent 21. When the shaving aid changes to the second color the user receives an automatic visual signal that the shaving aid of the razor head is depleted.

Common types of coloring agents which may be used are dyes, which are organic-based compounds, and pigments, which are either organic or inorganic. Typical inorganic pigments include titanium dioxide, zinc sulfide, iron oxides, chromates, cadmiums, chromium oxides, ultramarines, mixed metal oxides and carbon black. Common organic pigments include quinacridones, disazos and disazos condensates, monazo, monazos, naphthols, perylenes, benzimideazalones, isoindolinones, diarylides, quinophthalones, phthalocyanines, quinacridones, dioxazines, thioindigos, and tetrachloroisoindolinones and combinations thereof.

Common dyes which may be employed as the coloring agents include azos, perinones, quinolines, xantheren, azine and anthroquinones. The coloring agents, whether dyes or pigments, may be used in the form of a precolor, dry color, liquid color, or color concentrate. Specialty

colorants, including pearlescent, metallic and fluorescent may be used separately or in addition to other coloring agents. In addition, other colorants of Food, Drug & Cosmetic or Drug & Cosmetic grade, such as nitro, azo, triphenylmethane, xanthene, quinnoline, anthraquinone, indigoid, and pyrene classes of colorants, may be employed. The color of any of the coloring agents may be enhanced through the addition of certain color enhancing materials such as titanium oxide.

10

As an example, the shaving aid may contain a water soluble blue dye and a non-water soluble yellow dye. Before exposure to moisture the shaving aid would be a third color created by combining the two dye colors, or in this case green. Upon exposure to moisture, the water soluble blue dye leaches from the shaving aid, gradually removing the blue color component and changing the color of the shaving aid to yellow. When the color of the shaving aid in this case is yellow, the user would be alerted to replace the razor head.

20

In a preferred embodiment, the thermoplastic polymer of the shaving aid consists of a first color. A water soluble coloring agent of a second, different color is added to the shaving aid material. During use, the coloring agent leaches from the shaving aid and the color of the shaving aid changes to that of the thermoplastic

25

polymer. In an alternative preferred embodiment, the thermoplastic polymer is colorless. A coloring agent is added to the colorless shaving aid, forming a shaving aid having the same color as that of the coloring agent. Upon
5 usage, the coloring agent leaches away and the color of the shaving aid fades and eventually changes from the color of the coloring agent to colorless after usage.

Figure 3 illustrates a cross-section of a further
10 embodiment of the present invention. In this embodiment, the shaving aid 11 comprises two distinct layers. A lower layer 31 of thermoplastic material of a first color is mounted in a non-skin engaging position adjacent to the razor head and is non-water soluble. A water soluble or
15 partially soluble upper layer 30 containing a water soluble coloring agent 32 of a second color is mounted in a skin-engaging position adjacent to the lower layer. The upper layer contains the shaving aid material 21. Thus, the shaving aid appears to the user as the second color
20 prior to use and for a certain period of usage. Upon exposure to moisture during usage, the upper layer 30 deteriorates and uncovers the lower layer 31. Accordingly, the color of the shaving aid visible to the user changes from the second color of the upper layer to
25 the first color of the lower layer or a discernible intermediate color and the user is thereby notified of the need to replace the razor head.

Figure 4 illustrates a cross section of a further preferred embodiment of the present invention which comprises a shaving aid having three distinct layers. Two water soluble or partially soluble outer layers 40, 41 of a first color consisting of water soluble coloring agent 44 and shaving aid material 21 coat a center layer 42 of a second color consisting of a non-water soluble thermoplastic material. The shaving aid is mounted on the razor head with either outer layer adjacent to the razor head. According to this embodiment, both outer layers contain shaving aid material, and consequently the shaving aid may be mounted without concern for orienting the skin-engaging side so that it is in the correct position.

Figure 5 illustrates a still further and most preferred embodiment of the present invention. Water soluble or partially soluble coating 60 is disposed upon a section of the surface of shaving aid material 21. Coating 60 wears off of the shaving aid material through solubility, abrasion or a combination thereof. The disappearance of the coating is a signal to the consumer that the shaving aid should be replaced. Coating 60 comprises materials which are able to, at least initially, withstand the conditions, such as heat and humidity, which are encountered during shaving. Coating 60 may also consist of more than one layer, such that one or more layers wear off during usage and either a lower layer or

the shaving aid material is ultimately exposed. Various materials which may be employed as a coating which would withstand those conditions include shellacs, glazes, paints, rosins, resins, sealants, gums, lacquers or combinations thereof.

While the coating illustrated in Figure 5 is a single stripe in the middle of the shaving aid material, a plurality of sections of the shaving aid may be coated and the coating or coatings may comprise any desired shape or configuration. For example, multiple or single stripes, multiple or single spots, or multiple or single geometric shapes are all configurations which may be employed within the scope of the invention.

15

Exemplary materials which may be used as shaving aid material include one or various combinations of the following:

20 A. A lubricating agent for reducing the frictional forces between the razor head and the skin, e.g., a microencapsulated silicone oil.

25 B. An agent which reduces the drag between the razor parts and the skin, e.g., a polyethylene oxide in the approximate range of molecular weights between 100,000 and 5,000,000; a non-ionic polyacrylamide; and/or a natural

polysaccharide derived from plant materials such as "guar gum".

5 C. An agent which modifies the chemical structure of the hair to allow the razor blade to pass through the whiskers very easily, e.g., a depilatory agent is one example.

10 D. A cleaning agent which allows whiskers and skin debris to be washed more easily from the razor parts during shaving, e.g., a silicone polyethylene oxide block copolymer and detergent such as sodium lauryl sulphate.

15 E. A medicinal agent for killing bacteria, or repairing skin damage and abrasions.

F. A cosmetic agent for softening, smoothing, conditioning or improving the skin.

20 G. A blood coagulant for the suppression of the bleeding that occurs from nicks and cuts.

H. An essential oil such as menthol.

25 The following examples are set forth to illustrate several formulations of the present invention. The examples are merely illustrative of formulations which

fade in color to indicate the need to change the razor head and are not intended to limit the invention in any way.

5

Example 1

39.7% pulverized, precolored (white using 10% titanium oxide) medium impact polystyrene

29.8% coagulant grade poly(ethylene oxide)

10 29.8% WSR N-750 grade poly(ethylene oxide)

0.7% green pigment

Example 2

15 39.4% pulverized, precolored (white) medium impact polystyrene

29.6% coagulant grade poly(ethylene oxide)

29.6% WSR N-750 grade poly(ethylene oxide)

1.4% green pigment

20

Example 3

38.6% pulverized, precolored (white) medium impact polystyrene

28.9% coagulant grade poly(ethylene oxide)

28.9% WSR N-750 grade poly(ethylene oxide)

25 3.6% green pigment

While there have been described what are presently

believed to be the preferred embodiments of the invention,
those skilled in the art will realize that various changes
and modifications may be made to the invention without
departing from the spirit of the invention, and it is
5 intended to claim all such changes and modifications as
fall within the scope of the invention.

We claim:

1. A shaving aid for a razor comprising thermoplastic material, shaving aid material and a means for indicating a change in the amount of shaving aid material.

2. A shaving aid according to claim 1, wherein the means for indicating a change in the amount of shaving aid material comprises at least one coloring agent.

3. A shaving aid according to claim 2, wherein the thermoplastic material is of a first color and the at least one coloring agent is of a second color.

4. A shaving aid according to claim 3, wherein the at least one coloring agent is water soluble.

5. A shaving aid according to claim 2, wherein the thermoplastic material is colorless and the at least one coloring agent is of a first color.

6. A shaving aid according to claim 5, wherein the at least one coloring agent is water soluble.

7. A shaving aid according to claim 2, wherein the at least one coloring agent comprises a water soluble coloring agent and a non-water soluble coloring agent.

8. A shaving aid according to claim 7, wherein the water soluble coloring agent is of a first color and the non-water soluble coloring agent is of a second color.

9. A shaving aid according to claim 1, wherein said means for indicating a change in the amount of shaving aid material comprises a coating disposed in one or more

segments on top of at least a portion of the shaving aid.

10. A shaving aid according to claim 9, wherein said means for indicating a change is in the form of a geometric shape.

5 11. A shaving aid according to claim 9, wherein said change indicating means comprises a material or a combination of materials which allow said change indicating means to withstand the environment encountered during shaving so that a user will be visually stimulated
10 at the desired time to change to a new blade.

12. A shaving aid according to claim 11, wherein said material or combination of materials comprises at least one item selected from the group consisting of coloring agents, shellacs, glazes, resins, rosins,
15 sealants, gums and lacquers.

13. A shaving aid according to claim 12, wherein said change indicating means comprises more than one layer of the material or combination of materials.

14. A shaving aid comprising at least one skin-engaging layer and at least one non-skin engaging layer,
20 said at least one skin engaging layer comprising thermoplastic material, shaving aid material and at least one coloring agent.

15. A shaving aid according to claim 14, wherein
25 said at least one coloring agent is of a first color and said second, non-skin engaging layer is of a second color.

16. A shaving aid according to claim 15, wherein the

at least one coloring agent comprises at least one water soluble coloring agent and at least one non-water soluble coloring agent.

17. A shaving aid according to claim 16, wherein the
5 water soluble coloring agent is of a first color and the non-water soluble coloring agent is of a second color.

18. A shaving aid according to claim 17, wherein the
at least one skin-engaging layer comprises a first, skin-engaging layer comprising thermoplastic material, a
10 shaving aid material and a coloring agent and a second potentially skin-engaging layer comprising thermoplastic material, a shaving aid material and a coloring agent.

19. A shaving aid according to claim 18, wherein
said at least one coloring agent is of a first color and
15 said second, non-skin engaging layer is of a second color.

20. A shaving aid according to claim 19, wherein the
at least one coloring agent comprises a water soluble coloring agent and a non-water soluble coloring agent.

21. A shaving aid according to claim 20, wherein said
20 first skin-engaging layer and said second potentially skin-engaging layer are of a first color and said second non-skin engaging layer is of a second color.

22. A shaving aid according to claim 21, wherein said
first skin-engaging layer is of a first color, said third
25 skin-engaging layer is of a second color and said second non-skin engaging layer is of a third color.

23. A shaving aid according to claim 4, 6, 8, 11 or

21, wherein the coloring agent is selected from the group consisting of organic pigment, inorganic pigment, and dye.

24. A shaving aid according to claim 23, wherein the coloring agent is at least one item selected from the group consisting of titanium dioxide, zinc sulfide, iron oxides, chromates, cadmiums, chromium oxides, ultramarines, mixed metal oxides, carbon black, quinacridones, disazos and disazos condensates, monazo, monazos, naphthols, perylenes, benzimideazalones, isoindolinones, diarylides, quinophthalones, phthalocyanines, quinacridones, dioxazines, thioindigos, tetrachloroisoindolinones, azos, perinones, quinolines, xantheren, azine and anthroquinones.

25. A razor head having a cap, a seat, at least one blade, and a shaving aid wherein said shaving aid contains shaving aid material and a means for providing a sensory indication to the user to indicate a change in the amount of shaving aid material.

26. A razor head according to claim 25, wherein the sensory indication provided by the change in the amount of shaving aid material provides an indication to the user that the razor head should be replaced.

27. A razor head according to claim 26, wherein the razor head comprises a removable cartridge.

1/2

FIG-1





FIG-2



SUBSTITUTE SHEET (RULE 26)

2 / 2

FIG-3




FIG-4





FIG-5



SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT

Internat. Application No.

PCT/US 95/07506

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 B26B21/44

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 B26B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US,A,4 875 287 (CREASY) 24 October 1989 see column 4, line 36 - column 5, line 23 see figures 1,2 see column 7, line 46 - line 50 ---	14
A	WO,A,93 16135 (WARNER-LAMBERT) 19 August 1993 see page 2, line 18 - line 29 see page 6, line 8 - line 10 ---	14
A	US,A,4 170 821 (BOOTH) 16 October 1979 cited in the application see the whole document -----	1,14,25

☐ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents :

- * "A" document defining the general state of the art which is not considered to be of particular relevance
- * "E" earlier document but published on or after the international filing date
- * "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- * "O" document referring to an oral disclosure, use, exhibition or other means
- * "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

* "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

* "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

* "&" document member of the same patent family

Date of the actual completion of the international search

28 September 1995

Date of mailing of the international search report

31. 10. 95

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+ 31-70) 340-3016

Authorized officer

Herygers, J

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internat. Application No

PCT/US 95/07506

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-4875287	24-10-89	NONE	
WO-A-9316135	19-08-93	AU-B- 660264	15-06-95
		AU-B- 3325293	03-09-93
		CA-A- 2129550	19-08-93
		EP-A- 0625173	23-11-94
		JP-T- 7503726	20-04-95
		US-A- 5345680	13-09-94
US-A-4170821	16-10-79	CA-A- 1262817	14-11-89
		DE-A- 2851457	07-06-79
		FR-A, B 2410541	29-06-79
		GB-A, B 2009017	13-06-79
		JP-C- 1606875	13-06-91
		JP-A- 54094961	27-07-79
		JP-B- 62035791	04-08-87
		NL-A- 7811244	06-06-79
		SE-B- 462617	30-07-90
		SE-A- 7812260	03-06-79

1/2

FIG-1





FIG-2



SUBSTITUTE SHEET (RULE 26)

2/2

FIG-3




FIG-4





FIG-5



SUBSTITUTE SHEET (RULE 26)